L Number	Hits	Search Text	DB	Time stamp
8	2	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with field and (input source) with buffer and (output destination target) with buffer and regardless with instruction and (transfer$4 transmit$4 send$4 submit$4) with (modif$4 chang$4 alter$4) and giga$bits and bus with flow	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 09:51
9	7	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with field and (input source) with buffer and (output destination target) with buffer and regardless with instruction and (transfer$4 transmit$4 send$4 submit$4) with (modif$4 chang$4 alter$4) and giga$bits and bus with software	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 10:25
12	7	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and thread and manipulat$4 same bit and access with direct$4 with field and (input source) with buffer and (output destination target) with buffer and regardless with instruction and (transfer$4 transmit$4 send$4 submit$4) with (modif$4 chang$4 alter$4) and giga$bits and bus with software and buffer with (input source) and buffer with (target output destination)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 10:26
-	10551	bit adj field	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:17
-	652	access$4 with bit adj field	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:17
-	11	access$4 with bit adj field with operand	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:17
-	9	access$4 with bit adj field with operand and instruction with operation	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:17
-	5	access$4 with bit adj field with operand and instruction with operation and source with operand	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:18
-	2	access$4 with bit adj field with operand and instruction with operation and source with operand and target with operand	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:18

C:\APPS\EAST\Workspaces\A59-Modelski.wsp

-		0	access$4 with bit adj field with operand and instruction with operation and source and target and bit with manipulat44	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:18
-		1	access$4 with bit adj field with operand and instruction with operation and source and target and bit with manipulat$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:19
-		1	access$4 with bit adj field with operand and instruction with operation and source and target and manipulat$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:19
-		1	access$4 with bit adj field with operand and instruction with operation and source and target and manipulat$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:19
-		3	access$4 with bit adj field with operand and instruction with operation and source and target	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:22
-		1	access$4 with bit$field with operand and instruction with operation and source and target	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:20
-		3	access$4 with bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:23
-		1	access$4 with bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task with manag$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:23
-		2	access$4 with bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:23
-		2	access$4 with bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:24
-		2	access$4 with bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:24
-		2	access$4 with bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:24
-		1	access$4 with bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and thread	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:24
-		2	access$4 with bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:26
-		1	access$4 with bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output adj buffer	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:25

C:\APPS\EAST\Workspaces\A59-Modelski.wsp

–		2	access$4 with bit with field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:25
–		33	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:19
–		2	(access$4 retriev$4) with bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:26
–		9	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:27
–		9	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:42
–		9	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:45
–		2	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 adj bit	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:45
–		2	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 with bit	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:45
–		9	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:50
–		9	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:50

-		2	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with bit	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 10:51
-		8	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with field	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 11:55
-		1	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with field and input adj buffer and output adj buffer	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 11:56
-		1	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with field and input with buffer and output with buffer	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 11:56
-		8	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with field and input same buffer and output same buffer	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 11:58
-		8	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with field and (input source) with buffer and (output destination target) with buffer	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:24
-		1	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with field and (input source) with buffer and (output destination target) with buffer and anal$5 with (send$4 transmit$4 transfer$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:07

-	0	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with field and (input source) with buffer and (output destination target) with buffer and anal$5 with submi$5	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:07
-	0	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with field and (input source) with buffer and (output destination target) with buffer and anal$5 with mov$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:07
-	0	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with field and (input source) with buffer and (output destination target) with buffer and anal$5 with transmit$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:08
-	0	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with field and (input source) with buffer and (output destination target) with buffer and anal$5 with transform$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:08
-	2665328	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with field and (input source) with buffer and (output destination target) with buffer and anal$5 receiv$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:08
-	0	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with field and (input source) with buffer and (output destination target) with buffer and anal$5 with receiv$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:08

C:\APPS\EAST\Workspaces\A59-Modelski.wsp

-		1	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with field and (input source) with buffer and (output destination target) with buffer and anal$5 with obtain$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:08
-		1	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with field and (input source) with buffer and (output destination target) with buffer and (depand$4 independ$4) with instruction	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:25
-		1	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with field and (input source) with buffer and (output destination target) with buffer and (depend$4 independ$4) with instruction	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:25
-		7	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with field and (input source) with buffer and (output destination target) with buffer and regardless with instruction	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:56
-		0	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with field and (input source) with buffer and (output destination target) with buffer and regardless with instruction and transfer$4 with modif$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:57
-		7	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with field and (input source) with buffer and (output destination target) with buffer and regardless with instruction and transfer$4 same modif$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 12:57

-		7	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with field and (input source) with buffer and (output destination target) with buffer and regardless with instruction and (transfer$4 transmit$4 send$4 submit$4) with (modif$4 chang$4 alter$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:05
-		0	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with field and (input source) with buffer and (output destination target) with buffer and regardless with instruction and (transfer$4 transmit$4 send$4 submit$4) with (modif$4 chang$4 alter$4) and process$4 with rate	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:06
-		0	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with field and (input source) with buffer and (output destination target) with buffer and regardless with instruction and (transfer$4 transmit$4 send$4 submit$4) with (modif$4 chang$4 alter$4) and (process$4 transfer$4 transmit$4 send$4) with rate	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:06
-		0	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with field and (input source) with buffer and (output destination target) with buffer and regardless with instruction and (transfer$4 transmit$4 send$4 submit$4) with (modif$4 chang$4 alter$4) and (process$4 transfer$4 transmi$4 send$4) with rate	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:06
-		7	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with field and (input source) with buffer and (output destination target) with buffer and regardless with instruction and (transfer$4 transmit$4 send$4 submit$4) with (modif$4 chang$4 alter$4) and gbs	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:10

-	0	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with field and (input source) with buffer and (output destination target) with buffer and regardless with instruction and (transfer$4 transmit$4 send$4 submit$4) with (modif$4 chang$4 alter$4) and giga$bit	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:11
-	7	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output with buffer and thread and manipulat$4 same bit and access with direct$4 with field and (input source) with buffer and (output destination target) with buffer and regardless with instruction and (transfer$4 transmit$4 send$4 submit$4) with (modif$4 chang$4 alter$4) and giga$bits	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 09:50
-	7	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output and giga$bits	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:16
-	350	"10" adj giga$bits	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:17
-	42	"10" adj giga$bits with bandwidth	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:17
-	0	"10" adj giga$bits with bandwidth with rate with transfer$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:17
-	0	"10" adj giga$bits with bandwidth with rate with process$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:17
-	11	"10" adj giga$bits with bandwidth with rate	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:17
-	0	"10" adj giga$bits with bandwidth with rate and bit$field	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:18
-	9	"10" adj giga$bits with bandwidth with rate and data and bit	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:18
-	7	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and task and classif$4 and analysis and modif$4 and input and output and giga$bits	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:19

C:\APPS\EAST\Workspaces\A59-Modelski.wsp

-	7	bit adj field with operand and instruction with operation and source and target and (transfer$4 transmit$4 send$4) with (data bit field) and giga$bits	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:20
-	7	bit adj field with operand and instruction with operation and (transfer$4 transmit$4 send$4) with (data bit field) and giga$bits	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:20
-	7	bit adj field with operand and (transfer$4 transmit$4 send$4) with (data bit field) and giga$bits	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:20
-	1419	(transfer$4 transmit$4 send$4) with (data bit field) and giga$bits	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:20
-	252	(transfer$4 transmit$4 send$4) with (data bit field) and "10" adj giga$bits	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:21
-	125	(transfer$4 transmit$4 send$4) with (data bit field) and rate with "10" adj giga$bits	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:21
-	39	(transfer$4 transmit$4 send$4) with (data bit field) and rate with "10" adj giga$bits with (transfer$4 transmit$4 send$4 process$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:22
-	0	(transfer$4 transmit$4 send$4) with (data bit field) and rate with "10" adj giga$bits with (transfer$4 transmit$4 send$4 process$4) and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:22
-	4	(transfer$4 transmit$4 send$4) with (data bit field) and rate with "10" adj giga$bits with (transfer$4 transmit$4 send$4 process$4) and 709/$.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:29
-	0	(transfer$4 transmit$4 send$4) with (data bit field) and rate with "10" adj giga$bits with (transfer$4 transmit$4 send$4 process$4) and 712/$.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:28
-	0	(transfer$4 transmit$4 send$4) with (data bit field) and rate with "10" adj giga$bits with (transfer$4 transmit$4 send$4 process$4) and soure and target	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:29
-	1	(transfer$4 transmit$4 send$4) with (data bit field) and rate with "10" adj giga$bits with (transfer$4 transmit$4 send$4 process$4) and input and output with buffer	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:29
-	8	(transfer$4 transmit$4 send$4) with (data bit field) and rate with "10" adj giga$bits with (transfer$4 transmit$4 send$4 process$4) and input and output and buffer	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 13:29
-	5510	multi$thread$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 15:22
-	25	multi$thread$4 and "32" adj thread	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 15:23
-	13	multi$thread$4 and "32" adj thread and bit	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 15:24
-	8	multi$thread$4 and "32" adj thread and bit adj field	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 15:23

C:\APPS\EAST\Workspaces\A59-Modelski.wsp

-	12	multi$thread$4 and "32" adj thread and bit not nortel.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 15:25
-	6	multi$thread$4 and "32" adj thread and bit not nortel.as. not modelski.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 15:28
-	6	multi$thread$4 and "32 thread" and bit not nortel.as. not modelski.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 15:29
-	18	multi$thread$4 and "32 thread" not nortel.as. not modelski.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 15:29
-	18	multi$thread$4 and "32 threads" not nortel.as. not modelski.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 15:38
-	25	multi$thread$4 and "32 threads"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 15:38
-	274	multi$thread$4 and "32" with threads not nortel.as. not modelski.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 15:38
-	36	multi$thread$4 and "32" near threads not nortel.as. not modelski.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 07:58
-	36	multi$thread$4 and "32" near threads not nortel.as. not modelski.in. not "claim 32"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/22 15:39
-	19	multi$thread$4 and "32" adj threads not nortel.as. not modelski.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:07
-	19	multi$thread$4 and "32" adj threads not nortel.as. not modelski.in. and thread and "32"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:10
-	19	multi$thread$4 and "32" adj threads not nortel.as. not modelski.in. and thread and " 32"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:13
-	0	multi$thread$4 and (has consists include compris$4) adj "32" adj threads	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:14
-	0	multi$thread$4 and (has consists include compris$4) adj "32" adj processors	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:14
-	45	multi$thread$4 and (has consists include compris$4) with "32" with threads	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:15
-	45	multi$thread$4 and (has consists include compris$4) with " 32" with threads	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:15
-	3199	multi$thread$4 adj process$4and (has consists include compris$4) with " 32" with threads	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:15

C:\APPS\EAST\Workspaces\A59-Modelski.wsp

-	18	multi$thread$4 adj process$4 and (has consists include compris$4) with " 32" with threads	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:16
-	18	multi$thread$4 adj process$4 and (has consists include compris$4) with " 32" with threads not nornel.as. not modelski.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:17
-	18	multi$thread$4 adj process$4 and (has consists include compris$4) with " 32" with threads not nornel.as. not modelski.in. not "claim 32"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:18
-	18	multi$thread$4 adj process$4 and (has consists include compris$4) with " 32" with threads not nornel.as. not modelski.in. not "claim 32".clm.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:22
-	7	multi$thread$4 adj process$4 and (has consists include compris$4) with " 32" with threads not nornel.as. not modelski.in. and thread adj register	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:32
-	23	multi$thread$4 adj machine	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:32
-	0	multi$thread$4 adj machine and "32 threads"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:33
-	0	multi$thread$4 adj machine and "32 thread"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:33
-	2347680	multi$thread$4 adj machine and thread anear "32"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:33
-	1	multi$thread$4 adj machine and thread near "32"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:37
-	1	multi$thread$4 adj machine and thread near2 "32"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:37
-	1	multi$thread$4 adj machine and thread near3 "32"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:37
-	1	multi$thread$4 adj machine and thread near4 "32"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:37
-	2	multi$thread$4 adj machine and thread with "32"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:38
-	0	multi$thread$4 adj machine and "32 threads"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:38
-	10	multi$thread$4 with machine and "32 threads"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:39
-	3	multi$thread$4 with machine and "32 threads" not modelski.in. not nortel.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:40

C:\APPS\EAST\Workspaces\A59-Modelski.wsp

-	1357	"32 threads" not modelski.in. not nortel.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:51
-	19	"32 threads" not modelski.in. not nortel.as. and multi$thread$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:41
-	49	"32 threads" not modelski.in. not nortel.as. and multi$6 with process$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/12/23 08:53

C:\APPS\EAST\Workspaces\A59-Modelski.wsp